

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S93	1	"20020188656".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 10:57
S99	16890	S94 S95 S96 S97 S98	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:16
S98	2620	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:16
S97	2362	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:16
S96	5109	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:16
S95	6660	709/203.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:16
S94	2152	709/201.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:16
S11	12312	S6 S7 S8 S9 S10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:16
S10 0	10560	S99 and (@ad<"20010515" or @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:17
S10 1	592	S99 and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:18
S68	271	wireless same config\$8 with (medium path channel) with different	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:18

EAST Search History

S10 2	9	wireless same config\$8 with (medium path channel) with different and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:19
S10 3	4	((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$ and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:23
S37	123	((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:23
S10 4	9	"709".clas. and @ad<"20010515" and (point-to-point (point adj to adj point)) near3 network and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO	OR	OFF	2006/07/24 14:35
S10 6	2	(transceiver with infrared) with wireless with (dual multiple two) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:36
S10 5	2	((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$ same network same device and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:36
S59	19	((point-to-point) (point adj to adj point)) same shared with (medium path channel) same config\$ same network same device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:36
S28	28	(transceiver with infrared) with wireless with (dual multiple two)	USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:36
S11 0	2	config\$8 near3 (device peripheral printer) with different adj (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:48

EAST Search History

S109	0	S108 and (share shared sharing) with (path medium) same (config\$8) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO	OR	ON	2006/07/24 14:48
S108	25	(US-20020188656-\$).did. or (US-6493804-\$ or US-5734645-\$ or US-6393380-\$ or US-6035333-\$ or US-6701344-\$ or US-6697855-\$ or US-6917985-\$ or US-5819036-\$ or US-6665536-\$ or US-6005530-\$ or US-5345244-\$ or US-5655219-\$ or US-5551060-\$ or US-5513184-\$ or US-5046130-\$ or US-6011487-\$ or US-5475835-\$ or US-5768267-\$ or US-5978214-\$ or US-6600726-\$ or US-5960344-\$ or US-5930728-\$).did. or (WO-9941649-\$ or WO-9809450-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2006/07/24 14:48
S107	9	"709".clas. and @ad<"20010515" and (point-to-point (point adj to adj point)) near3 network and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO	OR	OFF	2006/07/24 14:48
S77	25	config\$8 near3 (device peripheral printer) with different adj (medium path channel) and (@ad<"20010515" or @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:48
S55	4	S52 and (share shared sharing) with (path medium) same (config\$8)	US-PGPUB; USPAT; EPO	OR	ON	2006/07/24 14:48
S48	382	"709".clas. and @ad<"20010515" and (point-to-point (point adj to adj point)) near3 network	US-PGPUB; USPAT; EPO	OR	OFF	2006/07/24 14:48
S114	2	(remote remotely) with config\$8 near3 (device peripheral printer) with (share sharing shared) with (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:49
S113	2	config\$8 near3 (device peripheral printer) with (share sharing shared) near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:49

EAST Search History

S11 2	2	config\$8 near3 (device peripheral printer) with (share sharing shared) near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:49
S11 1	11	config\$8 near5 (device peripheral printer) with different near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and (@pd>"20060214")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:49
S83	5	(remote remotely) with config\$8 near3 (device peripheral printer) with (share sharing shared) with (medium path channel) and (@ad<"20010515" or @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:49
S80	32	config\$8 near3 (device peripheral printer) with (share sharing shared) near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:49
S75	244	config\$8 near5 (device peripheral printer) with different near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/24 14:49